

# **AgriLife Agricultural Safety & Environmental Inspections – Common Deficiencies**

## **PESTICIDE SAFETY**

- Emergency contact information not posted
- EPA WPS central location information missing/incomplete
- Improper disposal of pesticides or empty pesticide containers
- Improper storage of pesticides
- Improper spill cleanup procedures
- Improper spill cleanup procedures
- Inadequate PPE in use
- Inadequate pesticide safety training (workers/handlers every 5 years)
- No posted warning on display
- No transport to medical facility available
- Secondary containment needed

## **LIQUID FERTILIZER**

- Inadequate secondary containment for bulk liquid fertilizer tank

## **DRY FERTILIZER**

- Inadequate secondary containment

## **FUEL STORAGE**

- AST TCEQ tank registration required (>1,100 gal)
- Inadequate secondary containment
- Spill Prevention, Control and Countermeasures (SPCC) Plan needed

## **AG EQUIPMENT AND VEHICLES**

- PTO shield missing or damaged
- Safety guards missing, out of place or damaged

•

## **INSPECTIONS**

- Fire extinguishers
- Equipment/Machinery
- Hoist/Crane

- AST

## **Areas of Concern**

### **FUEL STORAGE**

- Evidence of oil release
- Improper labeling of used oil storage container (label as “Used Oil”)

### **AG EQUIPMENT AND VEHICLES**

- Maintenance or repair required
- Inadequate spill cleanup materials available