

From: Chris Chamberlain

Subject: AM06-16-R180052 Request For Quote

Date: Tuesday, August 09, 2016 6:51:00 PM

Attachments: [PVC joints and fittings.pdf](#)
[PURCHASE ORDER TERMS.pdf](#)

Texas A&M AgriLife (the Agency) is accepting quotes on the attached list of PVC joints and fittings. Shipping charges should be included in your quote as follows:

- 1) Shipping charges for the joints/primer/glue and the fittings in Option 1.
- 2) Shipping charges for the joints/primer/glue and the fittings in Option 2.

The shipping address will be:

Texas A&M AgriLife Research & Extension Center
6500 Amarillo Blvd. West
Amarillo, TX 79106

Please note:

Any purchase order issued as a result of this request for quote will be subject to the attached Agency terms and conditions. These supersede any other terms and conditions issued by the vendor. Having the status of a state agency, Texas A&M AgriLife must abide by the laws of the State of Texas.

There is no guarantee that all or any of the items listed in this request for quote will be purchased by the Agency. The decision to purchase all or any of these items will be at the sole discretion of the Agency.

Please email me your quote on or before Tuesday, August 16, 2015, at 5:00 p.m. CST. Any questions should be addressed to me via email.

Regards,

Chris Chamberlain, C.T.P.M.
Texas A&M AgriLife Administrative Services
Assistant Director of Purchasing
979/845-4786
979/458-1217 (fax)
cchamberlain@tamu.edu

Administrative Services (AGSV) Building

Mailing Address: 2147 TAMU † College Station, TX 77843-2147

Physical Address (not to be used for US mail): 578 John Kimbrough Blvd., Room 412 † College Station, TX 77843

PIPE NEEDED		
Number	Description	
# of joints	PVC Pipe Class 120 rated	Total Feet
703	2" x 40 ft PVC pipe bell end	28,120
219	1.5" x 40 ft PVC pipe bell end	8,760
3	cases (10 qts) of medium set glue (qt size)	
3	cases (10 qts) of purple primer (qt size)	

OPTION 1	
# of each	SCH 40 PVC Fittings
50	4 x 4 x 1.5" Tee (slip)
50	1.5" Ball valve (slip)
50	2 x 1.5" Bushing (slip)
50	2" coupler (slip)
250	2" elbows (slip)
200	1.5" elbows (slip)
100	1.5" coupler (slip)
50	1.5 x 1.25" bushing (slip x thread)
50	1.5" tee (slip)
50	1.25" threaded plug

OPTION 2	
# of each	SCH 80 PVC Fittings
40	2" elbow (slip)
40	2" Tee (slip)
80	2" slip x 3/4" thread bushing
80	2" x 1" slip x slip reducer
40	1" x 10 ft PVC pipe
120	1" union (slip)
240	1" Tee
120	1" Spear (TU2000soc/FIPT) standard ball valve
80	1" close nipple
40	Hunter 1" Globe Valve w/NPT threads, 150 psi rated *
8	1" water meter **
40	1.5" Tee
40	1.5" x 1" slip reducer
40	1.5" x 3/4" thread reducer
40	1.5" PVC pipe
40	1.5" x 1" coupler
120	1" slip x 1/4" threaded bushing
40	1" slip x 3/4" threaded bushing
120	3/4" threaded plugs
80	1" PVC check valves
8	2" Spear (3629-020 soc/FIPT) standard ball valve

32	2" union (slip)
40	4" x 4" x 2" Tee
6	4" x 10 ft PVC pipe
2	4" slip x 3/4" threaded bushing

* If equivalent bid, unit must have same dimensions as Hunter brand

** Water meter w/ 0.1, 1.0 and 10 gallon face dials and pulse module output of 1.0 gal/pulse (reed switch type)

Water meter to have dimensions of Netafim 'M'-1" meter and totalizer unit of 100 gallon.

Water meter substitution must supply dimension, water pressure loss and technical sheet.